Report No. HTT202604557CH

RoHS Test Report

Application information:

Applicant name:	Hunan Xing Yuan Technology Co.,Ltd
Address:	NO.100, Xinren North Road, Hi-Tech Zone Ningxiang, Changsha City, Hunan Province, China
Manufacturer:	Hunan Xing Yuan Technology Co.,Ltd
Address:	NO.100, Xinren North Road, Hi-Tech Zone Ningxiang, Changsha City, Hunan Province, China

Sample information:

Sample Name:	Vending machine
Sample Model:	XY-DLE-10C-001, XY-SLE-10C-001, XY-SLE-10C,XY-PLE-10A-001, XY-DLE-10A,XY-SLE-10A, XY-CRE-4A, XY-SLY-9C-002(LD), XY-KRY-1A, XY-DLY-10C, XY-ZLF-10C-001, XY-SLY-5C-001BL, XY-SLY-5C-001AF, XY-FSLY-4C, XY-DRY-10C,XY-DLE-6C,XY-DLE-6A, XY-DLY-6C, XY-SLY-6C, XY-DLE-8C,XY-DLE-10C,XY-DLE-10C-L,XY-SLY-10C-I, XY-SLY-10C-L, XY-SLE-8C, XY-SLY-10C, XY-DLY-8C, XY-SLY-8C, XY-DRE-10C, XY-DRE-8C, XY-PRE-10A, XY-SPLE-10A, XY-SPRE-10A, XY-SRY-10C,XY-SRY-8C,XY-DRY-8C,XY-DLE-12C,XY-BRY-4A, XY-DRE-10C-N,XY-DRY-10C-N, XY-SLE-6C XY-DRE-6A ,XY-DRE-6C,XY-SLY-6A,XY-SRY-6C,XY-DLY-6A,XY-SRE-6A, XY-SLE-5A-LD,XY-SLY-5A-LD,XY-SLE-6C-LD,XY-SLY-6C-LD, XY-DLE-6A-LD,XY-DLY-6A-LD,XY-DLE-6C-LD,XY-DLY-6C-LD, XY-DLE-10C-I-HW,XY-SLE-10C-I-HW,XY-DRE-10C-I-HW, XY-DLY-10C-I-HW,XY-SLY-10C-I-HW, XY-CLE-4A, XY-CHE-4A
Trade mark:	兴元 XY VENDING
Sample Received Date:	Apr. 13, 2026
Testing Period:	Apr. 13, 2026 ~ Apr. 17, 2026
Test Requested:	As specified by client, to determine the Lead, Cadmium, Mercury,Hexavalent Chromium, PBBs, PBDEs, The Phthalate(DEHP, BBP, DBP & DIBP) content in the submitted sample compliance with RoHS directive 2011/65/EU Annex II amending Annex (EU)2015/863 and amending Annex (EU)2017/2102.
Test Method:	Please refer to next page.
Test Results	Please refer to next page(s).
Conclusion:	PASS

Completed by: Louis. Liu

Reviewed by: Leo Zhang

Approved by: Kevin Yang

Technical Manager

SHENZHEN HTT TECHNOLOGY CO., LTD

Shenzhen HTT Technology Co., Ltd.
Hotline: 400-6655-351 Tel: 0755-23595200 Fax: 0755-23595201 http://www.httprc.com

RoHS Test Report

Shenzhen HTT Technology Co., Ltd.

Test Method(s):

As requested by the client, Reference to IEC 62321-3-1:2013 Procedures for the screening analysis of Lead (Pb), Cadmium (Cd), Mercury (Hg), total Chromium (Cr), and Bromine (Br) by XRF. If the screening analysis results exceed the screening limits of IEC 62321-3-1:2013 Annex A, use the chemical methods for testing.

Table1 IEC 62321-3-1:2013 Annex A screening limits of XRF (mg/kg)

Element	Polymer	Metal	Composite Materials
Cd	BL≤ (70-3σ)< X <(130+3σ)≤ OL	BL≤ (70-3σ)< X <(130+3σ)≤ OL	LOD < X <(150+3σ)≤ OL
Pb	BL≤ (700-3σ)< X <(1300+3σ)≤ OL	BL≤ (700-3σ)< X <(1300+3σ)≤ OL	BL≤ (500-3σ)< X <(1500+3σ)≤ OL
Hg	BL≤ (700-3σ)< X <(1300+3σ)≤ OL	BL≤ (700-3σ)< X <(1300+3σ)≤ OL	BL≤ (500-3σ)< X <(1500+3σ)≤ OL
Br	BL ≤ (300-3σ)< X	Not applicable	BL≤ (250-3σ)< X
Cr	BL ≤ (700-3σ)< X	BL ≤ (700-3σ)< X	BL≤ (500-3σ)< X

BL = Less than screening limits of XRF

OL = More than screening limits of XRF

X = The results of screening analysis by XRF are within this range, requiring further chemical testing.

LOD = Limit of Detection

Table2 testing methods & Equipments

Testing Item	Testing Method	Equipment
Screening analysis by XRF		
Lead (Pb), Cadmium (Cd), Mercury (Hg) Chromium (Cr), Bromine (Br)	IEC 62321-3-1:2013	ED-XRF
Chemical testing		
Lead (Pb)	IEC 62321-5:2013	ICP-OES
Cadmium (Cd)	IEC 62321-5:2013	ICP-OES
Mercury(Hg)	IEC 62321-4:2013+A1:2017	ICP-OES
Hexavalent chromium (Cr(VI)) for plastic	IEC 62321-7-2:2017	UV-VIS
Hexavalent chromium (Cr(VI)) for coating on metals	IEC 62321-7-1:2015	UV-VIS
PBBs	IEC 62321-6:2015	GC-MS
PBDEs	IEC 62321-6:2015	GC-MS
DBP	IEC 62321-8:2017	GC-MS
BBP	IEC 62321-8:2017	GC-MS
DEHP	IEC 62321-8:2017	GC-MS

Shenzhen HTT Technology Co., Ltd.
Hotline: 400-6655-351 Tel: 0755-23595200 Fax: 0755-23595201 http://www.httprc.com

RoHS Test Report

DIBP	IEC 62321-8:2017	GC-MS

1. Method Detection Limit (MDL):

For XRF screening analysis (mg/kg)

Item	Pb	Cd	Hg	Br	Cr
Polymer	20	20	20	20	20
Other materials	50	50	50	50	50

For chemical testing (mg/kg)

Item	Pb	Cd	Hg	PBBs	PBDEs	DEHP	BBP	DBP	DIBP	Cr(VI)
General materials	2	2	2	10	10	50	50	50	50	See remark (2)

Remark:

(1) PBBs and PBDEs method detection limit only for one substance;

(2) MDL for polymer and Composites is 8 mg/kg, MDL for coating on metals is 0.10 μg/cm^2.

2. RoHS Requirement (mg/kg):

Restricted substances	Cd	Pb	Hg	Cr(VI)	PBBs	PBDEs	DEHP	BBP	DBP	DIBP
RoHS limit	100	1000	1000	1000	1000	1000	1000	1000	1000	1000

Shenzhen HTT Technology Co., Ltd.
Hotline: 400-6655-351 Tel: 0755-23595200 Fax: 0755-23595201 http://www.httprc.com

RoHS Test Report

3. Test Result(s):

Part No.	Part Description	Restricted Substances	Results (mg/kg)		Conclusion (P/F)
			EDXRF	Chemical testing	
01	Foam shell	Cd	BL	/	P
		Pb	BL	/	P
		Hg	BL	/	P
		Cr(VI)	BL	/	P
		PBBs	BL	/	P
		PBDEs	BL	/	P
		DEHP	/	N.D.	P
		DBP	/	N.D.	P
		BBP	/	N.D.	P
		DIBP	/	N.D.	P
02	Rear pillar of inner liner	Cd	BL	/	P
		Pb	BL	/	P
		Hg	BL	/	P
		Cr(VI)	BL	/	P
		PBBs	BL	/	P
		PBDEs	BL	/	P
		DEHP	/	N.D.	P
		DBP	/	N.D.	P
		BBP	/	N.D.	P
		DIBP	/	N.D.	P
03	Left front pillar of inner liner	Cd	BL	/	P
		Pb	BL	/	P
		Hg	BL	/	P
		Cr(VI)	BL	/	P
		PBBs	BL	/	P
		PBDEs	BL	/	P
		DEHP	/	N.D.	P
		DBP	/	N.D.	P
		BBP	/	N.D.	P
		DIBP	/	N.D.	P
04	Front pillar on the right side of the inner liner	Cd	BL	/	P
		Pb	BL	/	P
		Hg	BL	/	P
		Cr(VI)	BL	/	P
		PBBs	BL	/	P
		PBDEs	BL	/	P
		DEHP	/	N.D.	P
		DBP	/	N.D.	P
		BBP	/	N.D.	P
		DIBP	/	N.D.	P

Shenzhen HTT Technology Co., Ltd.
Hotline: 400-6655-351 Tel: 0755-23595200 Fax: 0755-23595201 http://www.httprc.com

RoHS Test Report

Part No.	Part Description	Restricted Substances	Results (mg/kg)		Conclusion (P/F)
			EDXRF	Chemical testing	
05	Power cable installation board	Cd	BL	/	P
		Pb	BL	/	P
		Hg	BL	/	P
		Cr(VI)	BL	/	P
		PBBs	BL	/	P
		PBDEs	BL	/	P
		DEHP	/	N.D.	P
		DBP	/	N.D.	P
		BBP	/	N.D.	P
		DIBP	/	N.D.	P
06	Supporting roller installation plate	Cd	BL	/	P
		Pb	BL	/	P
		Hg	BL	/	P
		Cr(VI)	BL	/	P
		PBBs	BL	/	P
		PBDEs	BL	/	P
		DEHP	/	N.D.	P
		DBP	/	N.D.	P
		BBP	/	N.D.	P
		DIBP	/	N.D.	P
07	Screw lock installation plate	Cd	BL	/	P
		Pb	BL	/	P
		Hg	BL	/	P
		Cr(VI)	BL	/	P
		PBBs	BL	/	P
		PBDEs	BL	/	P
		DEHP	/	N.D.	P
		DBP	/	N.D.	P
		BBP	/	N.D.	P
		DIBP	/	N.D.	P
08	Fixing block for the upper shaft of the right door	Cd	BL	/	P
		Pb	BL	/	P
		Hg	BL	/	P
		Cr(VI)	BL	/	P
		PBBs	BL	/	P
		PBDEs	BL	/	P
		DEHP	/	N.D.	P
		DBP	/	N.D.	P
		BBP	/	N.D.	P
		DIBP	/	N.D.	P

Shenzhen HTT Technology Co., Ltd.
Hotline: 400-6655-351 Tel: 0755-23595200 Fax: 0755-23595201 http://www.httprc.com

RoHS Test Report

Part No.	Part Description	Restricted Substances	Results (mg/kg)		Conclusion (P/F)
			EDXRF	Chemical testing	
09	Fixing block for the upper shaft of the left door	Cd	BL	/	P
		Pb	BL	/	P
		Hg	BL	/	P
		Cr(VI)	BL	/	P
		PBBs	BL	/	P
		PBDEs	BL	/	P
		DEHP	/	N.D.	P
		DBP	/	N.D.	P
		BBP	/	N.D.	P
		DIBP	/	N.D.	P
10	Top cover plate of the shell	Cd	BL	/	P
		Pb	BL	/	P
		Hg	BL	/	P
		Cr(VI)	BL	/	P
		PBBs	BL	/	P
		PBDEs	BL	/	P
		DEHP	/	N.D.	P
		DBP	/	N.D.	P
		BBP	/	N.D.	P
		DIBP	/	N.D.	P
11	Left and right sliding plates of the inner liner	Cd	BL	/	P
		Pb	BL	/	P
		Hg	BL	/	P
		Cr(VI)	BL	/	P
		PBBs	BL	/	P
		PBDEs	BL	/	P
		DEHP	/	N.D.	P
		DBP	/	N.D.	P
		BBP	/	N.D.	P
		DIBP	/	N.D.	P
12	Left side sliding board of the gate	Cd	BL	/	P
		Pb	BL	/	P
		Hg	BL	/	P
		Cr(VI)	BL	/	P
		PBBs	BL	/	P
		PBDEs	BL	/	P
		DEHP	/	N.D.	P
		DBP	/	N.D.	P
		BBP	/	N.D.	P
		DIBP	/	N.D.	P

Shenzhen HTT Technology Co., Ltd.
Hotline: 400-6655-351 Tel: 0755-23595200 Fax: 0755-23595201 http://www.httprc.com

RoHS Test Report

Part No.	Part Description	Restricted Substances	Results (mg/kg)		Conclusion (P/F)
			EDXRF	Chemical testing	
13	Right side sliding board of the gate	Cd	BL	/	P
		Pb	BL	/	P
		Hg	BL	/	P
		Cr(VI)	BL	/	P
		PBBs	BL	/	P
		PBDEs	BL	/	P
		DEHP	/	N.D.	P
		DBP	/	N.D.	P
		BBP	/	N.D.	P
		DIBP	/	N.D.	P
14	Antenna support plate	Cd	BL	/	P
		Pb	BL	/	P
		Hg	BL	/	P
		Cr(VI)	BL	/	P
		PBBs	BL	/	P
		PBDEs	BL	/	P
		DEHP	/	N.D.	P
		DBP	/	N.D.	P
		BBP	/	N.D.	P
		DIBP	/	N.D.	P
15	Stainless steel filter screen	Cd	BL	/	P
		Pb	BL	/	P
		Hg	BL	/	P
		Cr(VI)	BL	/	P
		PBBs	BL	/	P
		PBDEs	BL	/	P
		DEHP	/	N.D.	P
		DBP	/	N.D.	P
		BBP	/	N.D.	P
		DIBP	/	N.D.	P
16	Rubber feet	Cd	BL	/	P
		Pb	BL	/	P
		Hg	BL	/	P
		Cr(VI)	BL	/	P
		PBBs	BL	/	P
		PBDEs	BL	/	P
		DEHP	/	N.D.	P
		DBP	/	N.D.	P
		BBP	/	N.D.	P
		DIBP	/	N.D.	P

Shenzhen HTT Technology Co., Ltd.
Hotline: 400-6655-351 Tel: 0755-23595200 Fax: 0755-23595201 http://www.httprc.com

RoHS Test Report

Part No.	Part Description	Restricted Substances	Results (mg/kg)		Conclusion (P/F)
			EDXRF	Chemical testing	
17	Roller fixed spindle	Cd	BL	/	P
		Pb	BL	/	P
		Hg	BL	/	P
		Cr(VI)	BL	/	P
		PBBs	BL	/	P
		PBDEs	BL	/	P
		DEHP	/	N.D.	P
		DBP	/	N.D.	P
		BBP	/	N.D.	P
		DIBP	/	N.D.	P
18	Supporting rollers	Cd	BL	/	P
		Pb	BL	/	P
		Hg	BL	/	P
		Cr(VI)	BL	/	P
		PBBs	BL	/	P
		PBDEs	BL	/	P
		DEHP	/	N.D.	P
		DBP	/	N.D.	P
		BBP	/	N.D.	P
		DIBP	/	N.D.	P
19	Freight aisle refrigeration C-type gate	Cd	BL	/	P
		Pb	BL	/	P
		Hg	BL	/	P
		Cr(VI)	BL	/	P
		PBBs	BL	/	P
		PBDEs	BL	/	P
		DEHP	/	N.D.	P
		DBP	/	N.D.	P
		BBP	/	N.D.	P
		DIBP	/	N.D.	P
20	Small door welding	Cd	BL	/	P
		Pb	BL	/	P
		Hg	BL	/	P
		Cr(VI)	BL	/	P
		PBBs	BL	/	P
		PBDEs	BL	/	P
		DEHP	/	N.D.	P
		DBP	/	N.D.	P
		BBP	/	N.D.	P
		DIBP	/	N.D.	P

Shenzhen HTT Technology Co., Ltd.
Hotline: 400-6655-351 Tel: 0755-23595200 Fax: 0755-23595201 http://www.httprc.com

RoHS Test Report

Part No.	Part Description	Restricted Substances	Results (mg/kg)		Conclusion (P/F)
			EDXRF	Chemical testing	
21	Thread lock	Cd	BL	/	P
		Pb	BL	/	P
		Hg	BL	/	P
		Cr(VI)	BL	/	P
		PBBs	BL	/	P
		PBDEs	BL	/	P
		DEHP	/	N.D.	P
		DBP	/	N.D.	P
		BBP	/	N.D.	P
		DIBP	/	N.D.	P
22	Motherboard box module	Cd	BL	/	P
		Pb	BL	/	P
		Hg	BL	/	P
		Cr(VI)	BL	/	P
		PBBs	BL	/	P
		PBDEs	BL	/	P
		DEHP	/	N.D.	P
		DBP	/	N.D.	P
		BBP	/	N.D.	P
		DIBP	/	N.D.	P
23	Motherboard box sticker	Cd	BL	/	P
		Pb	BL	/	P
		Hg	BL	/	P
		Cr(VI)	BL	/	P
		PBBs	BL	/	P
		PBDEs	BL	/	P
		DEHP	/	N.D.	P
		DBP	/	N.D.	P
		BBP	/	N.D.	P
		DIBP	/	N.D.	P
24	Metal keyboard	Cd	BL	/	P
		Pb	BL	/	P
		Hg	BL	/	P
		Cr(VI)	BL	/	P
		PBBs	BL	/	P
		PBDEs	BL	/	P
		DEHP	/	N.D.	P
		DBP	/	N.D.	P
		BBP	/	N.D.	P
		DIBP	/	N.D.	P

Shenzhen HTT Technology Co., Ltd.
Hotline: 400-6655-351 Tel: 0755-23595200 Fax: 0755-23595201 http://www.httprc.com

RoHS Test Report

Part No.	Part Description	Restricted Substances	Results (mg/kg)		Conclusion (P/F)
			EDXRF	Chemical testing	
25	Metal keyboard connection cable	Cd	BL	/	P
		Pb	BL	/	P
		Hg	BL	/	P
		Cr(VI)	BL	/	P
		PBBs	BL	/	P
		PBDEs	BL	/	P
		DEHP	/	N.D.	P
		DBP	/	N.D.	P
		BBP	/	N.D.	P
		DIBP	/	N.D.	P
26	5-inch LCD screen connection cable	Cd	BL	/	P
		Pb	BL	/	P
		Hg	BL	/	P
		Cr(VI)	BL	/	P
		PBBs	BL	/	P
		PBDEs	BL	/	P
		DEHP	/	N.D.	P
		DBP	/	N.D.	P
		BBP	/	N.D.	P
		DIBP	/	N.D.	P
27	5-inch display screen	Cd	BL	/	P
		Pb	BL	/	P
		Hg	BL	/	P
		Cr(VI)	BL	/	P
		PBBs	BL	/	P
		PBDEs	BL	/	P
		DEHP	/	N.D.	P
		DBP	/	N.D.	P
		BBP	/	N.D.	P
		DIBP	/	N.D.	P
28	LCD screen displays the front PC board	Cd	BL	/	P
		Pb	BL	/	P
		Hg	BL	/	P
		Cr(VI)	BL	/	P
		PBBs	BL	/	P
		PBDEs	BL	/	P
		DEHP	/	N.D.	P
		DBP	/	N.D.	P
		BBP	/	N.D.	P
		DIBP	/	N.D.	P

Shenzhen HTT Technology Co., Ltd.
Hotline: 400-6655-351 Tel: 0755-23595200 Fax: 0755-23595201 http://www.httprc.com

RoHS Test Report

Part No.	Part Description	Restricted Substances	Results (mg/kg)		Conclusion (P/F)
			EDXRF	Chemical testing	
29	New motherboard GPRS communication cable	Cd	BL	/	P
		Pb	BL	/	P
		Hg	BL	/	P
		Cr(VI)	BL	/	P
		PBBs	BL	/	P
		PBDEs	BL	/	P
		DEHP	/	N.D.	P
		DBP	/	N.D.	P
		BBP	/	N.D.	P
		DIBP	/	N.D.	P
30	2G/4G communication module	Cd	BL	/	P
		Pb	BL	/	P
		Hg	BL	/	P
		Cr(VI)	BL	/	P
		PBBs	BL	/	P
		PBDEs	BL	/	P
		DEHP	/	N.D.	P
		DBP	/	N.D.	P
		BBP	/	N.D.	P
		DIBP	/	N.D.	P
31	Direct insertion antenna, male head	Cd	BL	/	P
		Pb	BL	/	P
		Hg	BL	/	P
		Cr(VI)	BL	/	P
		PBBs	BL	/	P
		PBDEs	BL	/	P
		DEHP	/	N.D.	P
		DBP	/	N.D.	P
		BBP	/	N.D.	P
		DIBP	/	N.D.	P
32	Small speaker	Cd	BL	/	P
		Pb	BL	/	P
		Hg	BL	/	P
		Cr(VI)	BL	/	P
		PBBs	BL	/	P
		PBDEs	BL	/	P
		DEHP	/	N.D.	P
		DBP	/	N.D.	P
		BBP	/	N.D.	P
		DIBP	/	N.D.	P

Shenzhen HTT Technology Co., Ltd.
Hotline: 400-6655-351 Tel: 0755-23595200 Fax: 0755-23595201 http://www.httprc.com

RoHS Test Report

Part No.	Part Description	Restricted Substances	Results (mg/kg)		Conclusion (P/F)
			EDXRF	Chemical testing	
33	Motherboard speaker cable	Cd	BL	/	P
		Pb	BL	/	P
		Hg	BL	/	P
		Cr(VI)	BL	/	P
		PBBs	BL	/	P
		PBDEs	BL	/	P
		DEHP	/	N.D.	P
		DBP	/	N.D.	P
		BBP	/	N.D.	P
		DIBP	/	N.D.	P
34	MDB box line	Cd	BL	/	P
		Pb	BL	/	P
		Hg	BL	/	P
		Cr(VI)	BL	/	P
		PBBs	BL	/	P
		PBDEs	BL	/	P
		DEHP	/	N.D.	P
		DBP	/	N.D.	P
		BBP	/	N.D.	P
		DIBP	/	N.D.	P
35	MDB communication line	Cd	BL	/	P
		Pb	BL	/	P
		Hg	BL	/	P
		Cr(VI)	BL	/	P
		PBBs	BL	/	P
		PBDEs	BL	/	P
		DEHP	/	N.D.	P
		DBP	/	N.D.	P
		BBP	/	N.D.	P
		DIBP	/	N.D.	P
36	NAYAX DEX data cable	Cd	BL	/	P
		Pb	BL	/	P
		Hg	BL	/	P
		Cr(VI)	BL	/	P
		PBBs	BL	/	P
		PBDEs	BL	/	P
		DEHP	/	N.D.	P
		DBP	/	N.D.	P
		BBP	/	N.D.	P
		DIBP	/	N.D.	P

Shenzhen HTT Technology Co., Ltd.
Hotline: 400-6655-351 Tel: 0755-23595200 Fax: 0755-23595201 http://www.httprc.com

RoHS Test Report

Part No.	Part Description	Restricted Substances	Results (mg/kg)		Conclusion (P/F)
			EDXRF	Chemical testing	
37	Return coin shell	Cd	BL	/	P
		Pb	BL	/	P
		Hg	BL	/	P
		Cr(VI)	BL	/	P
		PBBs	BL	/	P
		PBDEs	BL	/	P
		DEHP	/	N.D.	P
		DBP	/	N.D.	P
		BBP	/	N.D.	P
		DIBP	/	N.D.	P
38	Fixed screw pressure piece	Cd	BL	/	P
		Pb	BL	/	P
		Hg	BL	/	P
		Cr(VI)	BL	/	P
		PBBs	BL	/	P
		PBDEs	BL	/	P
		DEHP	/	N.D.	P
		DBP	/	N.D.	P
		BBP	/	N.D.	P
		DIBP	/	N.D.	P
39	Decorative component cover	Cd	BL	/	P
		Pb	BL	/	P
		Hg	BL	/	P
		Cr(VI)	BL	/	P
		PBBs	BL	/	P
		PBDEs	BL	/	P
		DEHP	/	N.D.	P
		DBP	/	N.D.	P
		BBP	/	N.D.	P
		DIBP	/	N.D.	P
40	Bottom of the coin entry channel	Cd	BL	/	P
		Pb	BL	/	P
		Hg	BL	/	P
		Cr(VI)	BL	/	P
		PBBs	BL	/	P
		PBDEs	BL	/	P
		DEHP	/	N.D.	P
		DBP	/	N.D.	P
		BBP	/	N.D.	P
		DIBP	/	N.D.	P

Shenzhen HTT Technology Co., Ltd.
Hotline: 400-6655-351 Tel: 0755-23595200 Fax: 0755-23595201 http://www.httprc.com

RoHS Test Report

Part No.	Part Description	Restricted Substances	Results (mg/kg)		Conclusion (P/F)
			EDXRF	Chemical testing	
41	Coin entry channel surface	Cd	BL	/	P
		Pb	BL	/	P
		Hg	BL	/	P
		Cr(VI)	BL	/	P
		PBBs	BL	/	P
		PBDEs	BL	/	P
		DEHP	/	N.D.	P
		DBP	/	N.D.	P
		BBP	/	N.D.	P
		DIBP	/	N.D.	P
42	Coin return lever	Cd	BL	/	P
		Pb	BL	/	P
		Hg	BL	/	P
		Cr(VI)	BL	/	P
		PBBs	BL	/	P
		PBDEs	BL	/	P
		DEHP	/	N.D.	P
		DBP	/	N.D.	P
		BBP	/	N.D.	P
		DIBP	/	N.D.	P
43	Coin return lever accessories	Cd	BL	/	P
		Pb	BL	/	P
		Hg	BL	/	P
		Cr(VI)	BL	/	P
		PBBs	BL	/	P
		PBDEs	BL	/	P
		DEHP	/	N.D.	P
		DBP	/	N.D.	P
		BBP	/	N.D.	P
		DIBP	/	N.D.	P
44	Return coin hopper cover	Cd	BL	/	P
		Pb	BL	/	P
		Hg	BL	/	P
		Cr(VI)	BL	/	P
		PBBs	BL	/	P
		PBDEs	BL	/	P
		DEHP	/	N.D.	P
		DBP	/	N.D.	P
		BBP	/	N.D.	P
		DIBP	/	N.D.	P

Shenzhen HTT Technology Co., Ltd.
Hotline: 400-6655-351 Tel: 0755-23595200 Fax: 0755-23595201 http://www.httprc.com

RoHS Test Report

Part No.	Part Description	Restricted Substances	Results (mg/kg)		Conclusion (P/F)
			EDXRF	Chemical testing	
45	Bottom shell of coin refund bucket	Cd	BL	/	P
		Pb	BL	/	P
		Hg	BL	/	P
		Cr(VI)	BL	/	P
		PBBs	BL	/	P
		PBDEs	BL	/	P
		DEHP	/	N.D.	P
		DBP	/	N.D.	P
		BBP	/	N.D.	P
		DIBP	/	N.D.	P
46	Refund bucket baffle	Cd	BL	/	P
		Pb	BL	/	P
		Hg	BL	/	P
		Cr(VI)	BL	/	P
		PBBs	BL	/	P
		PBDEs	BL	/	P
		DEHP	/	N.D.	P
		DBP	/	N.D.	P
		BBP	/	N.D.	P
		DIBP	/	N.D.	P
47	Refund coin shell decoration	Cd	BL	/	P
		Pb	BL	/	P
		Hg	BL	/	P
		Cr(VI)	BL	/	P
		PBBs	BL	/	P
		PBDEs	BL	/	P
		DEHP	/	N.D.	P
		DBP	/	N.D.	P
		BBP	/	N.D.	P
		DIBP	/	N.D.	P
48	Banknote dispenser mounting plate	Cd	BL	/	P
		Pb	BL	/	P
		Hg	BL	/	P
		Cr(VI)	BL	/	P
		PBBs	BL	/	P
		PBDEs	BL	/	P
		DEHP	/	N.D.	P
		DBP	/	N.D.	P
		BBP	/	N.D.	P
		DIBP	/	N.D.	P

Shenzhen HTT Technology Co., Ltd.
Hotline: 400-6655-351 Tel: 0755-23595200 Fax: 0755-23595201 http://www.httprc.com

RoHS Test Report

Part No.	Part Description	Restricted Substances	Results (mg/kg)		Conclusion (P/F)
			EDXRF	Chemical testing	
49	Overflow coin box	Cd	BL	/	P
		Pb	BL	/	P
		Hg	BL	/	P
		Cr(VI)	BL	/	P
		PBBs	BL	/	P
		PBDEs	BL	/	P
		DEHP	/	N.D.	P
		DBP	/	N.D.	P
		BBP	/	N.D.	P
		DIBP	/	N.D.	P
50	Fixed plate of coin dispenser	Cd	BL	/	P
		Pb	BL	/	P
		Hg	BL	/	P
		Cr(VI)	BL	/	P
		PBBs	BL	/	P
		PBDEs	BL	/	P
		DEHP	/	N.D.	P
		DBP	/	N.D.	P
		BBP	/	N.D.	P
		DIBP	/	N.D.	P
51	Banknote dispenser mounting plate	Cd	BL	/	P
		Pb	BL	/	P
		Hg	BL	/	P
		Cr(VI)	BL	/	P
		PBBs	BL	/	P
		PBDEs	BL	/	P
		DEHP	/	N.D.	P
		DBP	/	N.D.	P
		BBP	/	N.D.	P
		DIBP	/	N.D.	P
52	Nayax card reader sealing plate	Cd	BL	/	P
		Pb	BL	/	P
		Hg	BL	/	P
		Cr(VI)	BL	/	P
		PBBs	BL	/	P
		PBDEs	BL	/	P
		DEHP	/	N.D.	P
		DBP	/	N.D.	P
		BBP	/	N.D.	P
		DIBP	/	N.D.	P

Shenzhen HTT Technology Co., Ltd.
Hotline: 400-6655-351 Tel: 0755-23595200 Fax: 0755-23595201 http://www.httprc.com

RoHS Test Report

Part No.	Part Description	Restricted Substances	Results (mg/kg)		Conclusion (P/F)
			EDXRF	Chemical testing	
53	Car cooling module	Cd	BL	/	P
		Pb	BL	/	P
		Hg	BL	/	P
		Cr(VI)	BL	/	P
		PBBs	BL	/	P
		PBDEs	BL	/	P
		DEHP	/	N.D.	P
		DBP	/	N.D.	P
		BBP	/	N.D.	P
		DIBP	/	N.D.	P
54	Buckle buckle	Cd	BL	/	P
		Pb	BL	/	P
		Hg	BL	/	P
		Cr(VI)	BL	/	P
		PBBs	BL	/	P
		PBDEs	BL	/	P
		DEHP	/	N.D.	P
		DBP	/	N.D.	P
		BBP	/	N.D.	P
		DIBP	/	N.D.	P
55	Bending hook	Cd	BL	/	P
		Pb	BL	/	P
		Hg	BL	/	P
		Cr(VI)	BL	/	P
		PBBs	BL	/	P
		PBDEs	BL	/	P
		DEHP	/	N.D.	P
		DBP	/	N.D.	P
		BBP	/	N.D.	P
		DIBP	/	N.D.	P
56	Left side guide plate of refrigeration room	Cd	BL	/	P
		Pb	BL	/	P
		Hg	BL	/	P
		Cr(VI)	BL	/	P
		PBBs	BL	/	P
		PBDEs	BL	/	P
		DEHP	/	N.D.	P
		DBP	/	N.D.	P
		BBP	/	N.D.	P
		DIBP	/	N.D.	P

Shenzhen HTT Technology Co., Ltd.
Hotline: 400-6655-351 Tel: 0755-23595200 Fax: 0755-23595201 http://www.httprc.com

RoHS Test Report

Part No.	Part Description	Restricted Substances	Results (mg/kg)		Conclusion (P/F)
			EDXRF	Chemical testing	
57	Guide plate on the right side of the refrigeration room	Cd	BL	/	P
		Pb	BL	/	P
		Hg	BL	/	P
		Cr(VI)	BL	/	P
		PBBs	BL	/	P
		PBDEs	BL	/	P
		DEHP	/	N.D.	P
		DBP	/	N.D.	P
		BBP	/	N.D.	P
		DIBP	/	N.D.	P
58	10 refrigerated cargo hopper	Cd	BL	/	P
		Pb	BL	/	P
		Hg	BL	/	P
		Cr(VI)	BL	/	P
		PBBs	BL	/	P
		PBDEs	BL	/	P
		DEHP	/	N.D.	P
		DBP	/	N.D.	P
		BBP	/	N.D.	P
		DIBP	/	N.D.	P
59	Motherboard photoelectric detection receiving line	Cd	BL	/	P
		Pb	BL	/	P
		Hg	BL	/	P
		Cr(VI)	BL	/	P
		PBBs	BL	/	P
		PBDEs	BL	/	P
		DEHP	/	N.D.	P
		DBP	/	N.D.	P
		BBP	/	N.D.	P
		DIBP	/	N.D.	P
60	Photoelectric detection data cable	Cd	BL	/	P
		Pb	BL	/	P
		Hg	BL	/	P
		Cr(VI)	BL	/	P
		PBBs	BL	/	P
		PBDEs	BL	/	P
		DEHP	/	N.D.	P
		DBP	/	N.D.	P
		BBP	/	N.D.	P
		DIBP	/	N.D.	P

Shenzhen HTT Technology Co., Ltd.
Hotline: 400-6655-351 Tel: 0755-23595200 Fax: 0755-23595201 http://www.httprc.com

RoHS Test Report

Part No.	Part Description	Restricted Substances	Results (mg/kg)		Conclusion (P/F)
			EDXRF	Chemical testing	
61	Infrared receiver board	Cd	BL	/	P
		Pb	BL	/	P
		Hg	BL	/	P
		Cr(VI)	BL	/	P
		PBBs	BL	/	P
		PBDEs	BL	/	P
		DEHP	/	N.D.	P
		DBP	/	N.D.	P
		BBP	/	N.D.	P
		DIBP	/	N.D.	P
62	Infrared emission board	Cd	BL	/	P
		Pb	BL	/	P
		Hg	BL	/	P
		Cr(VI)	BL	/	P
		PBBs	BL	/	P
		PBDEs	BL	/	P
		DEHP	/	N.D.	P
		DBP	/	N.D.	P
		BBP	/	N.D.	P
		DIBP	/	N.D.	P
63	Electric control box Q-type sheet metal shell	Cd	BL	/	P
		Pb	BL	/	P
		Hg	BL	/	P
		Cr(VI)	BL	/	P
		PBBs	BL	/	P
		PBDEs	BL	/	P
		DEHP	/	N.D.	P
		DBP	/	N.D.	P
		BBP	/	N.D.	P
		DIBP	/	N.D.	P
64	Electric control box ground wire output line	Cd	BL	/	P
		Pb	BL	/	P
		Hg	BL	/	P
		Cr(VI)	BL	/	P
		PBBs	BL	/	P
		PBDEs	BL	/	P
		DEHP	/	N.D.	P
		DBP	/	N.D.	P
		BBP	/	N.D.	P
		DIBP	/	N.D.	P

Shenzhen HTT Technology Co., Ltd.
Hotline: 400-6655-351 Tel: 0755-23595200 Fax: 0755-23595201 http://www.httprc.com

RoHS Test Report

Part No.	Part Description	Restricted Substances	Results (mg/kg)		Conclusion (P/F)
			EDXRF	Chemical testing	
65	Electric control box output 15P connection line	Cd	BL	/	P
		Pb	BL	/	P
		Hg	BL	/	P
		Cr(VI)	BL	/	P
		PBBs	BL	/	P
		PBDEs	BL	/	P
		DEHP	/	N.D.	P
		DBP	/	N.D.	P
		BBP	/	N.D.	P
		DIBP	/	N.D.	P
66	Power cable	Cd	BL	/	P
		Pb	BL	/	P
		Hg	BL	/	P
		Cr(VI)	BL	/	P
		PBBs	BL	/	P
		PBDEs	BL	/	P
		DEHP	/	N.D.	P
		DBP	/	N.D.	P
		BBP	/	N.D.	P
		DIBP	/	N.D.	P
67	Power cable buckle	Cd	BL	/	P
		Pb	BL	/	P
		Hg	BL	/	P
		Cr(VI)	BL	/	P
		PBBs	BL	/	P
		PBDEs	BL	/	P
		DEHP	/	N.D.	P
		DBP	/	N.D.	P
		BBP	/	N.D.	P
		DIBP	/	N.D.	P
68	Main motor line	Cd	BL	/	P
		Pb	BL	/	P
		Hg	BL	/	P
		Cr(VI)	BL	/	P
		PBBs	BL	/	P
		PBDEs	BL	/	P
		DEHP	/	N.D.	P
		DBP	/	N.D.	P
		BBP	/	N.D.	P
		DIBP	/	N.D.	P

Shenzhen HTT Technology Co., Ltd.
Hotline: 400-6655-351 Tel: 0755-23595200 Fax: 0755-23595201 http://www.httprc.com

RoHS Test Report

Part No.	Part Description	Restricted Substances	Results (mg/kg)		Conclusion (P/F)
			EDXRF	Chemical testing	
69	Left side flat slide rail	Cd	BL	/	P
		Pb	BL	/	P
		Hg	BL	/	P
		Cr(VI)	BL	/	P
		PBBs	BL	/	P
		PBDEs	BL	/	P
		DEHP	/	N.D.	P
		DBP	/	N.D.	P
		BBP	/	N.D.	P
		DIBP	/	N.D.	P
70	Left inclined slide rail	Cd	BL	/	P
		Pb	BL	/	P
		Hg	BL	/	P
		Cr(VI)	BL	/	P
		PBBs	BL	/	P
		PBDEs	BL	/	P
		DEHP	/	N.D.	P
		DBP	/	N.D.	P
		BBP	/	N.D.	P
		DIBP	/	N.D.	P
71	POM steel ball cargo track roller	Cd	BL	/	P
		Pb	BL	/	P
		Hg	BL	/	P
		Cr(VI)	BL	/	P
		PBBs	BL	/	P
		PBDEs	BL	/	P
		DEHP	/	N.D.	P
		DBP	/	N.D.	P
		BBP	/	N.D.	P
		DIBP	/	N.D.	P
72	Filter screen side guide plate	Cd	BL	/	P
		Pb	BL	/	P
		Hg	BL	/	P
		Cr(VI)	BL	/	P
		PBBs	BL	/	P
		PBDEs	BL	/	P
		DEHP	/	N.D.	P
		DBP	/	N.D.	P
		BBP	/	N.D.	P
		DIBP	/	N.D.	P

Shenzhen HTT Technology Co., Ltd.
Hotline: 400-6655-351 Tel: 0755-23595200 Fax: 0755-23595201 http://www.httprc.com

RoHS Test Report

Part No.	Part Description	Restricted Substances	Results (mg/kg)		Conclusion (P/F)
			EDXRF	Chemical testing	
73	Bottom support plate of filter screen	Cd	BL	/	P
		Pb	BL	/	P
		Hg	BL	/	P
		Cr(VI)	BL	/	P
		PBBs	BL	/	P
		PBDEs	BL	/	P
		DEHP	/	N.D.	P
		DBP	/	N.D.	P
		BBP	/	N.D.	P
		DIBP	/	N.D.	P
74	MDB communication line	Cd	BL	/	P
		Pb	BL	/	P
		Hg	BL	/	P
		Cr(VI)	BL	/	P
		PBBs	BL	/	P
		PBDEs	BL	/	P
		DEHP	/	N.D.	P
		DBP	/	N.D.	P
		BBP	/	N.D.	P
		DIBP	/	N.D.	P
75	Fixed plate of coin dispenser	Cd	BL	/	P
		Pb	BL	/	P
		Hg	BL	/	P
		Cr(VI)	BL	/	P
		PBBs	BL	/	P
		PBDEs	BL	/	P
		DEHP	/	N.D.	P
		DBP	/	N.D.	P
		BBP	/	N.D.	P
		DIBP	/	N.D.	P
76	Lower air intake refrigeration module	Cd	BL	/	P
		Pb	BL	/	P
		Hg	BL	/	P
		Cr(VI)	BL	/	P
		PBBs	BL	/	P
		PBDEs	BL	/	P
		DEHP	/	N.D.	P
		DBP	/	N.D.	P
		BBP	/	N.D.	P
		DIBP	/	N.D.	P

Shenzhen HTT Technology Co., Ltd.
Hotline: 400-6655-351 Tel: 0755-23595200 Fax: 0755-23595201 http://www.httprc.com

RoHS Test Report

Part No.	Part Description	Restricted Substances	Results (mg/kg)		Conclusion (P/F)
			EDXRF	Chemical testing	
77	Label slot profile	Cd	BL	/	P
		Pb	BL	/	P
		Hg	BL	/	P
		Cr(VI)	BL	/	P
		PBBs	BL	/	P
		PBDEs	BL	/	P
		DEHP	/	N.D.	P
		DBP	/	N.D.	P
		BBP	/	N.D.	P
		DIBP	/	N.D.	P
78	EVA sponge	Cd	BL	/	P
		Pb	BL	/	P
		Hg	BL	/	P
		Cr(VI)	BL	/	P
		PBBs	BL	/	P
		PBDEs	BL	/	P
		DEHP	/	N.D.	P
		DBP	/	N.D.	P
		BBP	/	N.D.	P
		DIBP	/	N.D.	P
79	Shock absorber pad	Cd	BL	/	P
		Pb	BL	/	P
		Hg	BL	/	P
		Cr(VI)	BL	/	P
		PBBs	BL	/	P
		PBDEs	BL	/	P
		DEHP	/	N.D.	P
		DBP	/	N.D.	P
		BBP	/	N.D.	P
		DIBP	/	N.D.	P
80	Freight Road	Cd	BL	/	P
		Pb	BL	/	P
		Hg	BL	/	P
		Cr(VI)	BL	/	P
		PBBs	BL	/	P
		PBDEs	BL	/	P
		DEHP	/	N.D.	P
		DBP	/	N.D.	P
		BBP	/	N.D.	P
		DIBP	/	N.D.	P

Shenzhen HTT Technology Co., Ltd.
Hotline: 400-6655-351 Tel: 0755-23595200 Fax: 0755-23595201 http://www.httprc.com

RoHS Test Report

Note:

mg/kg = milligram per kilogram = ppm

N.D. = Not detected (<MDL)

BL=Less than screening limits of XRF

D = DETECTED = Inconclusive

P = PASS

F = FAIL

/ = Not available

Shenzhen HTT Technology Co., Ltd.
Hotline: 400-6655-351 Tel: 0755-23595200 Fax: 0755-23595201 http://www.httprc.com

RoHS Test Report

Photo(s) of the sample(s)



Shenzhen HTT Technology Co., Ltd.
Hotline: 400-6655-351 Tel: 0755-23595200 Fax: 0755-23595201 http://www.httprc.com

RoHS Test Report



This test document cannot be reproduced in any way, except in full context, without the prior approval in writing of the laboratory. The result of this test report is based on our received samples only.

*** End of report ***

Shenzhen HTT Technology Co., Ltd.
Hotline: 400-6655-351 Tel: 0755-23595200 Fax: 0755-23595201 http://www.httprc.com